visocolor[®] Powder Pillows

Sulfate

Reagent for the photometric determination of sulfate ions in surface, ground and drinking water.

Please Note: These instructions apply to products with a shelf life from 06/2029.

Measuring range:

15-200 mg/L SO42-

Method:

Photometric determination of sulfate ions via precipitation of bariumsulfate and measurement of the resulting turbidity.

Hazard warning:

Information regarding safety can be found on the box' label and in the safety data sheet. You can download the SDS from *www.mn-net.com/SDS*.

Procedure:

Requisite accessories: 2 test tubes 16 mm OD (REF 91680) or 2 test tubes 24 mm OD (REF 936101)

() Rinse test tube several times with sample (*pH value of sample must be between pH 1 and 11*)

Blank (optional):

- 2 Fill one test tube with 10 mL of sample
- 3 Clean test tube
- 4 Place test tube in photometer as blank value and adjust for zero

Sample:

- 6 Place the contents of one Powder Pillow in a further round cell
- 6 Add 10 mL of the sample
- Close test tube and shake well
- 8 Clean test tube
- 9 Wait for 10 min
- Measure

Measurement:

See manual for all MACHEREY-NAGEL photometers. After use, rinse out test tubes thoroughly and seal them.

Also suitable for the determination of sulfate in seawater with appropriate dilution in the measuring range.

Interferences:

The temperature of the water sample should be between 20 °C and 30 °C.

The following quantities of ions will not interfere:

 $< 50 \text{ mg/L Fe}^{2^{+}/3^{+}}; < 150 \text{ mg/L Zn}^{2^{+}}; < 250 \text{ mg/L Ca}^{2^{+}}; 500 \text{ mg/L CO}_{3}^{2^{-}}; < 500 \text{ mg/L NO}_{3}^{-}; < 2000 \text{ mg/L Cl}^{-}$

Disposal of samples:

Information regarding disposal can be found in the safety data sheet. You can download the SDS from *www.mn-net.com/SDS*.



Blank (optional):

Sample:

6


9

Test 7-23



3


6



7







10 mL



Manufacturer: Macherey-Nagel GMbH & CO. KG

